



DACOGREEN 720

GROUP Y FUNGICIDE

- Active Ingredient:** 720g/L Chlorothalonil
- Poison Schedule:** S6
- Resistant Grouping:** Group Y
- Dangerous Goods Class:** Not classified as a dangerous good under the Australian Code For Transport and Storage of Dangerous Goods in Australia.
- Registered For Use In:** All States
- Pack Size:** 10L (2 x 10L per carton)
5L (4 x 5L per carton)

Since the 1970's Campbell's unique chlorothalonil fungicide formulation has been the first choice for a broad spectrum fungicide. But the name has now changed to *Dacogreen 720*. The formula is still the same with the built in wetter and same concentration.

DIRECTIONS FOR USE

SITUATION	DISEASE	STATE	RATE	CRITICAL COMMENTS
TURF AND LAWNS	Dollar Spot (<i>Sclerotinia Homeocarpa</i>) Brown Patch (<i>Rhizoctonia spp</i>)	All States	130-200 mL/100m ² in 20-60 litres of water.	If disease is already established use higher rate. Apply at 7-14 day intervals. Under severe conditions spray at 7 day intervals. Do not mow or water treated area until turf or lawn is thoroughly dry. Ideally allow 24 hours for full fungicide activity to occur.



Protection of livestock

DO NOT contaminate feed, or feedstuffs, with this product or empty containers.
DO NOT feed grass-cuttings from treated area to animals or poultry.

Protection Of Wildlife, Fish, Crustacea And Environment

Dangerous to fish. DO NOT contaminate dams, rivers, drains or streams with the chemical or used containers.

Storage And Disposal

Store in original container tightly closed in a dry safe place. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

Safety Directions

Attacks eyes and skin. Avoid contact with eyes and skin. Do not inhale spray mist. Repeated exposure may cause allergic disorders. Sensitive workers should use protective clothing. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and goggles and disposable fume mask. If clothing becomes contaminated with product or wet with spray, remove clothing immediately. If product on skin, immediately wash area with soap and water. If product in eyes, wash it out immediately with water. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, goggles and contaminated clothing.

First Aid

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone 131 126. If swallowed, do NOT induce vomiting. Give a glass of water.

For further information, refer to MSDS 12.

APVMA Approval No: 54664