



Methar Tri Kombi®
Colin Campbell (Chemicals) Pty Ltd

METHAR TRI-KOMBI

GROUP I HERBICIDE

Active Ingredient: 336g/L Mecoprop present as the dimethylamine salt
80g/L 2,4-D present as the dimethylamine salt
40g/L Dicamba present as the dimethylamine salt

Poison Schedule: S5

Resistance Grouping: Group I

Dangerous Goods Class: Not classified as a dangerous good under the Australian Code For Transport and Storage of Dangerous Goods in Australia.

Registered for use In: N.S.W., Qld, Vic, SA, WA and ACT

Available In: 25L
5L (4 x 5L per carton)
2L (6 x 2L per carton)

Methar Tri-Kombi is a cost effective herbicide that provides 3 way action broadleaf weed control. Permitted for use in Victoria.



DIRECTIONS FOR USE

SITUATION	WEEDS CONTROLLED	RATE	CRITICAL COMMENTS
GOLF FAIRWAYS, PARKS, OVALS	Clovers, creeping oxalis, pearlwort, chickweed, mouse-eared chickweed, lambs tongue, dandelion, catsear, fat hen, mallow, staggerweeds fumitory, bindii, cobblers peg, wireweed.	4.2L in 450L water per hectare	DO NOT use on buffalo grass.
GOLF AND BOWLING GREENS AND LAWNS		45mL in 20L water per 100m ²	
NEWLY SOWN TURF		30mL in 20L per 100m ²	Do not apply until 4 weeks after first mowing.

General Instructions

Do not mow turf for 2 days before or after treatment. Repeat applications may be required to control some hard to kill weeds and these can be applied at 7-14 days.

Environmental Information

Avoid spray drift. Spray drift can travel a great distance. Do not use the product in close proximity to grapes, tomatoes, cotton, bananas or other susceptible crops, flowers, ornamentals and fruit trees. Do not use on windy days. Equipment used for the application of the product should not be used for the application of other materials to sensitive plants. If such use is unavoidable clean equipment thoroughly with ammonia or washing soda and rinse several charges of water and detergent. Do not feed grass clippings from treated areas to poultry or livestock. Do not contaminate dams, rivers or streams with the chemical or used containers.

Storage and Disposal

Store in the closed original container in a well ventilated area, as cool as possible. Store away from seeds, seedlings, fertilizers, and other spray materials used on plants. Dispose of used containers by puncturing, crushing and burying away from water sources.

Safety Directions

Poisonous if swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. Do not inhale spray mist. When opening container, preparing the spray wear cotton overalls buttoned to the neck and wrists and washable hat, impervious footwear, elbow-length PVC gloves and face shield or goggles. If product on skin, immediately wash area with soap and water. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves, face shield or goggles and contaminated clothing.

APVMA Approval No: 31536