



PASSTOX FLOWABLE

GROUP K HERBICIDE

Active Ingredient: 526g/L DSMA
Poison Schedule: S7
Registered for use In: N.S.W., V.I.C., S.A., QLD., ACT, W.A.
Resistance Grouping: Group K
Dangerous Goods Class: Not classified as a dangerous good under the Australian Code For Transport and Storage of Dangerous Goods in Australia.
Available In: 10L (2 x 10L per carton)
1L (10x1L per carton)

Passtox controls a number of grassy weeds, especially *Paspalum*. Passtox comes in the traditional 10 litre and an easy to use 1 litre container.

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT apply to dry turf during hot weather.

DO NOT water or cut grass for 24 hours after treatment.

SITUATION	WEEDS	STATE	RATE	Per	CRITICAL COMMENTS
	CONTROLLED		100m ²	ha	
Common Couch Lawns & Turf	Paspalum, Summer Grass, Crab Grass Mullumbimby couch.	NSW, Vic, SA, Qld, ACT only	180mL	18 L	Apply as a foliar spray in a minimum 100L water/1000 sq. metres or 1000L/ha. Add Ultrawet wetter at 300mL/100sq. m or 3L/ha



SITUATION	WEEDS	STATE	RATE	Per	CRITICAL COMMENTS
	CONTROLLED		100m ²	ha	
	Paspalum, Summer Grass, Crab Grass Mullumbimby couch.	WA only	100mL	10L	Apply again 7-10 days later and again 21-30 days after that.
Bent and Fescue Lawns and Turf	Paspalum, Summer Grass, Crab Grass Mullumbimby couch.	NSW, Vic, QLD, ACT only	75mL	7.5 L	If necessary irrigate prior to treatment but do not water for 24 hours after treatment.
		SA only	90mL	9 L	

General Instructions

DO NOT use on Buffalo, Kikuyu, Queensland Blue Couch, Carpet or Centipede grass as injury will occur. In hot weather temporary yellowing may occur. Risk of damage increases with temperatures over 30°C. Injury will also occur on Bent or Fescues if the recommended rates are exceeded. Passtox Flowable is most effective on actively growing weeds at air temperatures above 21°C. Do NOT treat new lawns until after 3 mowings.

Mixing: Add the required amount of Passtox Flowable to water and stir thoroughly until dissolved. Then add Ultrawet as required. Do NOT store spray solution in tank for prolonged periods.

Environmental Information

DO NOT feed grass clippings from treated areas to poultry or other animals. Do not allow livestock to graze treated area.

Toxic to fish. Do not contaminate streams, rivers or waterways with the chemical or used container.

Do not apply under weather conditions or from spraying equipment which may cause spray to drift onto nearby susceptible plants, crops, crop lands or pastures.

Storage and Disposal

Store in the closed original container in a well ventilated area, as cool as possible out of direct sunlight. Store in a locked room or place away from children, animals, food, feed-stuffs, seed and fertilizers. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. Break, crush, puncture and bury empty containers in a local authority landfill. If not available bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

Safety Directions



Poisonous if absorbed by skin contact or swallowed. May irritate the eyes and skin. Avoid contact with eyes and skin. When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat and rubber gloves. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each days use, wash gloves and contaminated clothing.

APVMA Approval No: 49083